



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cinema

PD-30814L

PRODUCT DESCRIPTION

In a luxe finish, the Cinema linear multi-light pendant makes a modern statement that's right in line with the latest trends. Painstakingly V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs offering color temperature adjustability. You can select 14 or 23 lights installed on a linear canopy.

FEATURES


- Driver concealed within the canopy
- V-cut K5 seedy crystal
- Thin, powered aircraft cables prove an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 14 and 23 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 lbs. and 150 lbs. respectively, or supported independently of the

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV: 100-5%, TRIAC: 100-5%
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Aluminum frame with seedy K5 crystal

REPLACEMENT PARTS

RPL-GLA-30816 - Replacement Crystal



PD-30814L

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-30814L 40" - 14 Lights	2700K/3000K/ 90	95W 95W	4062 4062	AB Aged Brass BK Black
	2700K/3000K/ 90			

Example: **PD-30814L-BK**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cinema

PD-30823L

PRODUCT DESCRIPTION

In a luxe finish, the Cinema linear multi-light pendant makes a modern statement that's right in line with the latest trends. Painstakingly V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDS offering color temperature adjustability. You can select 14 or 23 lights installed on a linear canopy.

FEATURES


- Driver concealed within the canopy
- V-cut K5 seedy crystal
- Thin, powered aircraft cables prove an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 14 and 23 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 lbs. and 150 lbs. respectively, or supported independently of the

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277 VAC,50/60Hz
Dimming	ELV: 100-5%,TRIAC: 100-5%
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Aluminum frame with seedy K5 crystal

REPLACEMENT PARTS

RPL-GLA-30816 - Replacement Crystal



PD-30823L

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-30823L 54" - 23 Lights	2700K/3000K/ 90	156W 156W	6673 6673	AB Aged Brass BK Black
	2700K/3000K/ 90			

Example: **PD-30823L-BK**

For custom requests please contact customs@modernforms.com