



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cascade

PD-41714L

FEATURES


- Driver concealed within the canopy
- Hand-cut faceted K9 crystal
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 lbs. or supported independently of the outlet box
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277 VAC,50/60Hz
Dimming	ELV
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Steel body with crystal diffuser

REPLACEMENT PARTS

RPL-GLA-41719 - Glass



PD-41714L

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-41714L 40" - 14 Lights	2700K/3000K/	98W	5254	AB Aged Brass
		98W	5254	BK Black
		98W	5254	PN Polished Nickel
	90			
	2700K/3000K/			
	90			
	2700K/3000K/			
	90			

--	--	--	--	--

Example: **PD-41714L-PN**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cascade

PD-41723L

FEATURES


- Driver concealed within the canopy
- Hand-cut faceted K9 crystal
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 23 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 lbs. or supported independently of the outlet box
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Steel body with crystal diffuser

REPLACEMENT PARTS

RPL-GLA-41719 - Glass



PD-41723L

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-41723L 54" - 23 Lights	2700K/3000K/	161W	8631	AB Aged Brass
	90	161W	8631	BK Black
	2700K/3000K/	161W	8631	PN Polished Nickel
	90			
	2700K/3000K/			
	90			

--	--	--	--	--

Example: **PD-41723L-PN**

For custom requests please contact customs@modernforms.com