



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cascade

PD-41805R

FEATURES


- Driver concealed within the canopy
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277 VAC,50/60Hz
Dimming	ELV
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Steel body with acrylic diffuser

REPLACEMENT PARTS

RPL-GLA-41819 - Glass



Model & Size

Color Temp &
CRI

Watt


Lumens

Finish

PD-41805R Lights	17" - 5	42W	1876	AB	Aged Brass
		42W	1876	BK	Black
		42W	1876	PN	Polished Nickel
	2700K/3000K/				
	90				
	2700K/3000K/				
	90				
	2700K/3000K/				
	90				

--	--	--	--	--

Example: **PD-41805R-PN**
For custom requests please contact customs@modernforms.com



PD-41809R

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cascade

PD-41809R

FEATURES

- Driver concealed within the canopy
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Steel body with acrylic diffuser

REPLACEMENT PARTS


RPL-GLA-41819 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-41809R 17" - 9 Lights	2700K/3000K/	76W	3377	AB Aged Brass
		76W	3377	BK Black
		76W	3377	PN Polished Nickel
	90			
	2700K/3000K/			
	90			
	2700K/3000K/			
	90			

--	--	--	--	--

Example: **PD-41809R-PN**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cascade

PD-41815R

FEATURES

- Driver concealed within the canopy
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 15 and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs. and 100 lbs. or supported independently of the outlet box
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Steel body with acrylic diffuser

REPLACEMENT PARTS

RPL-GLA-41819 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-41815R 23" - 15 Lights	2700K/3000K/	126W	5629	AB Aged Brass
		126W	5629	BK Black
		126W	5629	PN Polished Nickel
	90			
	2700K/3000K/			
	90			
	2700K/3000K/			
	90			

--	--	--	--	--

Example: **PD-41815R-PN**
For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cascade

PD-41821R

FEATURES


- Driver concealed within the canopy
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 15 and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs. and 100 lbs. or supported independently of the outlet box
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Steel body with acrylic diffuser

REPLACEMENT PARTS

RPL-GLA-41819 - Glass



PD-41821R

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-41821R 26" - 21 Lights	2700K/3000K/	170W	7880	AB Aged Brass
		170W	7880	BK Black
		170W	7880	PN Polished Nickel
	90			
	2700K/3000K/			
	90			
	2700K/3000K/			
	90			

--	--	--	--	--

Example: **PD-41821R-PN**
For custom requests please contact customs@modernforms.com