



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Marimba

PD-52718

PRODUCT DESCRIPTION

Inspired by Piet Mondrian's work with simplified geometric elements, Marimba offers abstract art with upscale appeal achieved with fine metallic leaf details, aircraft cable powerlines and silk screen LED light emitters for perfect illumination perfect for luxury residential, commercial and hospitality spaces.

FEATURES


- 277V option available for special order.
- Transformer concealed within the canopy
- Hand-leafed interior
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Twist-lock opal glass diffuser for easy removal

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120 VAC, 50/60Hz
Dimming	ELV
Color Temp	3000K
CRI	90
Construction	Steel body and Opal glass diffuser

REPLACEMENT PARTS

RPL-GLA-52718-GL - Glass



PD-52718

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-52718 18"	3000K 90	GL Gold Leaf/Bronze	55W	120 VAC	2885	1255

Example: **PD-52718-GL**

•For 277V special order, add an "F" before the finish: PD-52718F-GL

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Marimba

PD-52724

PRODUCT DESCRIPTION

Inspired by Piet Mondrian's work with simplified geometric elements, Marimba offers abstract art with upscale appeal achieved with fine metallic leaf details, aircraft cable powerlines and silk screen LED light emitters for perfect illumination perfect for luxury residential, commercial and hospitality spaces.

FEATURES


- 277V option available for special order.
- Transformer concealed within the canopy
- Hand-leafed interior
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Twist-lock opal glass diffuser for easy removal

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120 VAC, 50/60Hz
Dimming	ELV
Color Temp	3000K
CRI	90
Construction	Steel body and Opal glass diffuser

REPLACEMENT PARTS

RPL-GLA-52724-BZ - Glass



PD-52724

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-52724 24"	3000K 90	GL Gold Leaf/Bronze	58.7W	120 VAC	3753	2790

Example: **PD-52724-GL**

•For 277V special order, add an "F" before the finish: PD-52724F-GL

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Marimba


PD-52734

FEATURES

- Driver concealed within the canopy
- Hand-leafed interior
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Twist-lock opal glass diffuser for easy removal

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Steel body and Opal glass diffuser



PD-52734

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-52734 34"	3000K 90	GL Gold Leaf/Bronze	39.7W	120-277 VAC	3620	1586

Example: **PD-52734-GL**

For custom requests please contact customs@modernforms.com