



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cinch

WS-34119

PRODUCT DESCRIPTION


Upgrade your bath with an eye-catching modern light embedded with LEDs gently diffused by a frosted acrylic diffuser for upward and downward light. Ideal for illuminating a sleek bathroom or alongside a contemporary mirror. This linear functional luminaire delivers robust illumination with flexible mounting options. Switch between 3 color temperatures to customize the white light hue.

FEATURES

- Driver concealed within the canopy
- Adjustable backplate accommodates to off-center junction box locations
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Option to pre-select color temperature or adjust in the field
- Not recommended for dimming @220V

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120-277 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	3500K, 3000K, 2700K
CRI	90
Construction	Steel and aluminum body with frosted acrylic diffuser



WS-34119

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-34119 19"	2700K	BN Brushed Nickel	24.5W	2039	1128
	3000K	BN Brushed Nickel	24.5W	2221	1230
	3500K	BN Brushed Nickel	24.5W	2192	1212

Example: **WS-34119-35-BN**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cinch

WS-34125

PRODUCT DESCRIPTION


Upgrade your bath with an eye-catching modern light embedded with LEDs gently diffused by a frosted acrylic diffuser for upward and downward light. Ideal for illuminating a sleek bathroom or alongside a contemporary mirror. This linear functional luminaire delivers robust illumination with flexible mounting options. Switch between 3 color temperatures to customize the white light hue.

FEATURES

- Driver concealed within the canopy
- Adjustable backplate accommodates to off-center junction box locations
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Option to pre-select color temperature or adjust in the field
- Not recommended for dimming @220V

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120-277 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	2700K, 3000K, 3500K
CRI	90
Construction	Steel and aluminum body with frosted acrylic diffuser



WS-34125

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-34125 25"	2700K	BN Brushed Nickel	31.7W	2547	1448
	3000K	BN Brushed Nickel	31.7W	2755	1589
	3500K	BN Brushed Nickel	31.7W	2731	1565

Example: **WS-34125-35-BN**

For custom requests please contact customs@modernforms.com

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cinch

WS-34137

PRODUCT DESCRIPTION


Upgrade your bath with an eye-catching modern light embedded with LEDs gently diffused by a frosted acrylic diffuser for upward and downward light. Ideal for illuminating a sleek bathroom or alongside a contemporary mirror. This linear functional luminaire delivers robust illumination with flexible mounting options. Switch between 3 color temperatures to customize the white light hue.

FEATURES

- Driver concealed within the canopy
- Adjustable backplate accommodates to off-center junction box locations
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Option to pre-select color temperature or adjust in the field
- Not recommended for dimming @220V

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120-277 VAC,50/60Hz
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	3500K,3000K,2700K
CRI	90
Construction	Steel and aluminum body with frosted acrylic diffuser



WS-34137

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-34137 37"	2700K	BN Brushed Nickel	39.8W	3391	1878
	3000K	BN Brushed Nickel	39.8W	3583	2022
	3500K	BN Brushed Nickel	39.8W	3495	2020

Example: **WS-34137-35-BN**

For custom requests please contact customs@modernforms.com