



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Lightstick

WS-47919

PRODUCT DESCRIPTION

Modern and ultra-minimal. Lightstick is a slim LED vanity luminaire designed perfectly for residential, hospitality and commercial powder rooms. A slender bar of light constructed from a co-extrusion of clear and white acrylic affords the luxurious dimensional look of cased glass but durable enough for its dramatic proportions. The versatile design allows it to be placed horizontally or vertically or even at angles on walls and ceilings.

FEATURES


- ACLED driverless technology
- Co-extruded acrylic diffuser
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- Conversion plate included for 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on ceiling or wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, co-extruded acrylic diffuser

REPLACEMENT PARTS

JB-0501 - 1" Slim Junction Box



WS-47919

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-47919 19"	3000K 3000K	AL Brushed Aluminum WT White	16.8W 16.8W	1268 1268	975 975

Example: **WS-47919-WT**

For custom requests please contact customs@modernforms.com

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Lightstick

WS-47925

PRODUCT DESCRIPTION

Modern and ultra-minimal. Lightstick is a slim LED vanity luminaire designed perfectly for residential, hospitality and commercial powder rooms. A slender bar of light constructed from a co-extrusion of clear and white acrylic affords the luxurious dimensional look of cased glass but durable enough for its dramatic proportions. The versatile design allows it to be placed horizontally or vertically or even at angles on walls and ceilings.

FEATURES

- ACLED driverless technology
- Co-extruded acrylic diffuser
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- Conversion plate included for 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on ceiling or wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, co-extruded acrylic diffuser

REPLACEMENT PARTS

JB-0501 - 1" Slim Junction Box




WS-47925

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-47925 25"	3000K 3000K	AL Brushed Aluminum WT White	22.4W 22.4W	1708 1708	1375 1375

Example: **WS-47925-WT**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Lightstick

WS-47937

PRODUCT DESCRIPTION

Modern and ultra-minimal. Lightstick is a slim LED vanity luminaire designed perfectly for residential, hospitality and commercial powder rooms. A slender bar of light constructed from a co-extrusion of clear and white acrylic affords the luxurious dimensional look of cased glass but durable enough for its dramatic proportions. The versatile design allows it to be placed horizontally or vertically or even at angles on walls and ceilings.

FEATURES


- ACLED driverless technology
- Co-extruded acrylic diffuser
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- Conversion plate included for 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on ceiling or wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, co-extruded acrylic diffuser

REPLACEMENT PARTS

JB-0501 - 1" Slim Junction Box




WS-47937

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-47937 37"	3000K 3000K	AL Brushed Aluminum WT White	33.2W 33.2W	2450 2450	1949 1949

Example: **WS-47937-WT**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Lightstick

WS-47949

PRODUCT DESCRIPTION

Modern and ultra-minimal. Lightstick is a slim LED vanity luminaire designed perfectly for residential, hospitality and commercial powder rooms. A slender bar of light constructed from a co-extrusion of clear and white acrylic affords the luxurious dimensional look of cased glass but durable enough for its dramatic proportions. The versatile design allows it to be placed horizontally or vertically or even at angles on walls and ceilings.

FEATURES

- ACLED driverless technology
- Co-extruded acrylic diffuser
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- Conversion plate included for 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on ceiling or wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, co-extruded acrylic diffuser

REPLACEMENT PARTS

JB-0501 - 1" Slim Junction Box



WS-47949

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-47949 49"	3000K 3000K	AL Brushed Aluminum WT White	44W 44W	3171 3171	2479 2479

Example: **WS-47949-WT**

For custom requests please contact customs@modernforms.com

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Lightstick

WS-47961

PRODUCT DESCRIPTION

Modern and ultra-minimal. Lightstick is a slim LED vanity luminaire designed perfectly for residential, hospitality and commercial powder rooms. A slender bar of light constructed from a co-extrusion of clear and white acrylic affords the luxurious dimensional look of cased glass but durable enough for its dramatic proportions. The versatile design allows it to be placed horizontally or vertically or even at angles on walls and ceilings.

FEATURES


- ACLED driverless technology
- Co-extruded acrylic diffuser
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- Conversion plate included for 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on ceiling or wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, co-extruded acrylic diffuser

REPLACEMENT PARTS

JB-0501 - 1" Slim Junction Box



WS-47961

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-47961 61"	3000K 3000K	AL Brushed Aluminum WT White	45.9W 45.9W	3651 3651	2826 2826

Example: **WS-47961-WT**

For custom requests please contact customs@modernforms.com

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Lightstick

WS-47973

PRODUCT DESCRIPTION

Modern and ultra-minimal. Lightstick is a slim LED vanity luminaire designed perfectly for residential, hospitality and commercial powder rooms. A slender bar of light constructed from a co-extrusion of clear and white acrylic affords the luxurious dimensional look of cased glass but durable enough for its dramatic proportions. The versatile design allows it to be placed horizontally or vertically or even at angles on walls and ceilings.

FEATURES



- ACLED driverless technology
- Co-extruded acrylic diffuser
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- Conversion plate included for 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on ceiling or wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, co-extruded acrylic diffuser

REPLACEMENT PARTS

JB-0501 - 1" Slim Junction Box




WS-47973

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-47973 73"	3000K 3000K	AL Brushed Aluminum WT White	66W 66W	4900 4900	3782 3782

Example: **WS-47973-WT**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Lightstick

WS-47997

PRODUCT DESCRIPTION

Modern and ultra-minimal. Lightstick is a slim LED vanity luminaire designed perfectly for residential, hospitality and commercial powder rooms. A slender bar of light constructed from a co-extrusion of clear and white acrylic affords the luxurious dimensional look of cased glass but durable enough for its dramatic proportions. The versatile design allows it to be placed horizontally or vertically or even at angles on walls and ceilings.

FEATURES

- ACLED driverless technology
- Co-extruded acrylic diffuser
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- Conversion plate included for 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on ceiling or wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, co-extruded acrylic diffuser

REPLACEMENT PARTS

JB-0501 - 1" Slim Junction Box



WS-47997

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-47997 97"	3000K	AL Brushed Aluminum	88W	6342	4874

Example: **WS-47997-AL**

For custom requests please contact customs@modernforms.com