




Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Tower

WS-58814

PRODUCT DESCRIPTION

The Tower wall sconce features a rectangular cylinder of ribbed glass, mounted on a sleek metallic backplate, creating a visually intriguing display from 3500K LED illumination. Gleaming metal caps on each end add a polished touch, and the wall sconce can be mounted vertically or horizontally to suit your space. Offered in 14, 20 and 27-inch sizes, Tower is available in a choice of aged brass or brushed nickel finishes.

FEATURES


- ACLED driverless technology
- Ambient and downlight illumination
- V-cut seedy K5 crystal
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120 VAC,50/60Hz
Dimming	ELV
Color Temp	3500K
CRI	90
Construction	Extruded aluminum hardware with steel end caps, K5-grade V-cut crystal

REPLACEMENT PARTS

RPL-GLA-58814 - Glass



WS-58814

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-58814 14"	3500K	AB Aged Brass	15.4W	793	539
	3500K	BN Brushed Nickel	15.4W	793	539

Example: **WS-58814-BN**

For custom requests please contact customs@modernforms.com




Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Tower

WS-58820

PRODUCT DESCRIPTION

The Tower wall sconce features a rectangular cylinder of ribbed glass, mounted on a sleek metallic backplate, creating a visually intriguing display from 3500K LED illumination. Gleaming metal caps on each end add a polished touch, and the wall sconce can be mounted vertically or horizontally to suit your space. Offered in 14, 20 and 27-inch sizes, Tower is available in a choice of aged brass or brushed nickel finishes.

FEATURES


- ACLED driverless technology
- Ambient and downlight illumination
- V-cut seedy K5 crystal
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120 VAC,50/60Hz
Dimming	ELV
Color Temp	3500K
CRI	90
Construction	Extruded aluminum hardware with steel end caps, K5-grade V-cut crystal

REPLACEMENT PARTS

RPL-GLA-58820 - Glass



WS-58820

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-58820 20"	3500K	AB Aged Brass	15.4W	803	661
	3500K	BN Brushed Nickel	15.4W	803	661

Example: **WS-58820-BN**

For custom requests please contact customs@modernforms.com




Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Tower

WS-58827

PRODUCT DESCRIPTION

The Tower wall sconce features a rectangular cylinder of ribbed glass, mounted on a sleek metallic backplate, creating a visually intriguing display from 3500K LED illumination. Gleaming metal caps on each end add a polished touch, and the wall sconce can be mounted vertically or horizontally to suit your space. Offered in 14, 20 and 27-inch sizes, Tower is available in a choice of aged brass or brushed nickel finishes.

FEATURES


- ACLED driverless technology
- Ambient and downlight illumination
- V-cut seedy K5 crystal
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120 VAC,50/60Hz
Dimming	ELV
Color Temp	3500K
CRI	90
Construction	Extruded aluminum hardware with steel end caps, K5-grade V-cut crystal

REPLACEMENT PARTS

RPL-GLA-58827 - Glass



WS-58827

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-58827 27"	3500K	AB Aged Brass	15.4W	836	718
	3500K	BN Brushed Nickel	15.4W	836	718

Example: **WS-58827-BN**

For custom requests please contact customs@modernforms.com