



Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



## Suspense

WS-W1911

**FEATURES**


- Driver concealed within the canopy
- Thick clear mouth-blown glass
- Twist-lock glass for seamless appearance
- IDA Dark Sky compliant

**SPECIFICATIONS**

|              |                                                         |
|--------------|---------------------------------------------------------|
| Rated Life   | 50,000 Hours                                            |
| Standards    | ETL, cETL, Wet Location Listed, IP65, Dark Sky Friendly |
| Input        | 120-277 VAC, 50/60Hz                                    |
| Dimming      | ELV, 0-10V                                              |
| Color Temp   | 3000K                                                   |
| CRI          | 90                                                      |
| Construction | Aluminum hardware, Clear mouth-blown glass              |

**REPLACEMENT PARTS**

RPL-GLA-1911 - Glass



WS-W1911

| Model & Size | Color Temp | Finish   | LED Watts | LED Lumens | Delivered Lumens |
|--------------|------------|----------|-----------|------------|------------------|
| WS-W1911 11" | 3000K      | BK Black | 14W       | 1780       | 1336             |

Example: **WS-W1911-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



## Suspense

WS-W1915

**FEATURES**


- Driver concealed within the canopy
- Thick clear mouth-blown glass
- Twist-lock glass for seamless appearance
- IDA Dark Sky compliant

**SPECIFICATIONS**

|              |                                                         |
|--------------|---------------------------------------------------------|
| Rated Life   | 50,000 Hours                                            |
| Standards    | ETL, cETL, Wet Location Listed, IP65, Dark Sky Friendly |
| Input        | 120-277 VAC, 50/60Hz                                    |
| Dimming      | ELV, 0-10V                                              |
| Color Temp   | 3000K                                                   |
| CRI          | 90                                                      |
| Construction | Aluminum hardware, Clear mouth-blown glass              |

**REPLACEMENT PARTS**

RPL-GLA-1915 - Glass



WS-W1915

| Model & Size | Color Temp | Finish   | LED Watts | LED Lumens | Delivered Lumens |
|--------------|------------|----------|-----------|------------|------------------|
| WS-W1915 15" | 3000K      | BK Black | 14W       | 1650       | 1239             |

Example: **WS-W1915-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



## Suspense

WS-W1917

**FEATURES**


- Driver concealed within the canopy
- Thick clear mouth-blown glass
- Twist-lock glass for seamless appearance
- IDA Dark Sky compliant

**SPECIFICATIONS**

|              |                                                         |
|--------------|---------------------------------------------------------|
| Rated Life   | 50,000 Hours                                            |
| Standards    | ETL, cETL, Wet Location Listed, IP65, Dark Sky Friendly |
| Input        | 120-277 VAC, 50/60Hz                                    |
| Dimming      | ELV, 0-10V                                              |
| Color Temp   | 3000K                                                   |
| CRI          | 90                                                      |
| Construction | Aluminum hardware, Clear mouth-blown glass              |

**REPLACEMENT PARTS**

RPL-GLA-1917 - Glass



WS-W1917

| Model & Size | Color Temp | Finish   | LED Watts | LED Lumens | Delivered Lumens |
|--------------|------------|----------|-----------|------------|------------------|
| WS-W1917 17" | 3000K      | BK Black | 15W       | 1845       | 1383             |

Example: **WS-W1917-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)