




WS-W24211

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cambridge

WS-W24211

PRODUCT DESCRIPTION

A classic sensibility with timeless style. This exterior LED wall luminaire beckons like a glowing lantern to welcome guests to your fine home. Available in three sizes.

FEATURES

- Driver concealed within the canopy
- Diffuser rotates up to 45 degrees for a modern twist to the classic lantern design
- Clear glass panels are framed with an etched border
- IDA Dark Sky compliant
- Not recommended for dimming @220V

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Wet Location Listed, IP65, Dark Sky Friendly
Input	120-277 VAC, 50/60Hz
Dimming	ELV: 100-5%, TRIAC: 100-10%
Mounting	Can be mounted on wall vertically or upside down
Color Temp	3000K
CRI	90
Construction	Extruded aluminum body and etched acrylic diffuser framed in clear glass panels etched along the border


REPLACEMENT PARTS

RPL-GLA-24211 - Replacement Glass
RPL-DIF-24211 - Replacement Diffuser

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W24211 11"	3000K	BK Black	7.6W	500	189

Example: **WS-W24211-BK**

For custom requests please contact customs@modernforms.com



WS-W24218

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cambridge

WS-W24218

PRODUCT DESCRIPTION

A classic sensibility with timeless style. This exterior LED wall luminaire beckons like a glowing lantern to welcome guests to your fine home. Available in three sizes.

FEATURES

- Driver concealed within the canopy
- Diffuser rotates up to 45 degrees for a modern twist to the classic lantern design
- Clear glass panels are framed with an etched border
- IDA Dark Sky compliant
- Not recommended for dimming @220V

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Wet Location Listed, IP65, Dark Sky Friendly
Input	120-277 VAC, 50/60Hz
Dimming	ELV: 100-5%, TRIAC: 100-10%
Mounting	Can be mounted on wall vertically or upside down
Color Temp	3000K
CRI	90
Construction	Extruded aluminum body and etched acrylic diffuser framed in clear glass panels etched along the border


REPLACEMENT PARTS

RPL-GLA-24218 - Replacement Glass
RPL-DIF-24218 - Replacement Diffuser

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W24218 18"	3000K	BK Black	11.7W	800	378

Example: **WS-W24218-BK**

For custom requests please contact customs@modernforms.com



WS-W24222

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cambridge

WS-W24225

PRODUCT DESCRIPTION

A classic sensibility with timeless style. This exterior LED wall luminaire beckons like a glowing lantern to welcome guests to your fine home. Available in three sizes.

FEATURES

- Driver concealed within the canopy
- Diffuser rotates up to 45 degrees for a modern twist to the classic lantern design
- Clear glass panels are framed with an etched border
- IDA Dark Sky compliant
- Not recommended for dimming @220V

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Wet Location Listed, IP65, Dark Sky Friendly
Input	120-277 VAC, 50/60Hz
Dimming	ELV: 100-5%, TRIAC: 100-10%
Mounting	Can be mounted on wall vertically or upside down
Color Temp	3000K
CRI	90
Construction	Extruded aluminum body and etched acrylic diffuser framed in clear glass panels etched along the border

REPLACEMENT PARTS

RPL-GLA-24225 - Replacement Glass
RPL-DIF-24225 - Replacement Diffuser

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W24225 25"	3000K	BK Black	16.8W	1200	335

Example: **WS-W24225-BK**

For custom requests please contact customs@modernforms.com