

WAC LIGHTING

Manchester

Outdoor Wall Sconce

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W33516 16"	2700K	BK Black	13W	1000	670
	3000K				
	3500K				
	4000K				

Example: **WS-W33516-40-BK**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A thick hammered glass shade sends a textured glow from this modern wall lantern. An open cage frame and clean geometric accents provides added style.

FEATURES

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Light engine is factory sealed for maximum protection from the elements
- Weather resistant powder coated finish
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp:	2700K,3000K,3500K,4000K
Input:	120,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , TRIAC: 100-10%
Rated Life:	54,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Wet Location Listed
Construction	Aluminum hardware

REPLACEMENT PARTS

RPL-GLA-33516 - REPLACEMENT GLASS FOR WS-33516




FINISHES:



Black

LINE DRAWING



WS-W33516

WAC LIGHTING

Manchester

Outdoor Wall Sconce

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W33525 25"	2700K	BK Black	19W	1515	1033
	3000K				
	3500K				
	4000K				

Example: **WS-W33525-40-BK**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A thick hammered glass shade sends a textured glow from this modern wall lantern. An open cage frame and clean geometric accents provides added style.

FEATURES

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Light engine is factory sealed for maximum protection from the elements
- Weather resistant powder coated finish
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp:	2700K,3000K,3500K,4000K
Input:	120,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , TRIAC: 100-10%
Rated Life:	54,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Wet Location Listed
Construction	Aluminum hardware

REPLACEMENT PARTS

RPL-GLA-33525 - REPLACEMENT GLASS FOR WS-33525




FINISHES:



Black

LINE DRAWING



WS-W33525

WAC LIGHTING

Manchester

Outdoor Wall Sconce

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W33534 34"	2700K	BK Black	25W	1996	1491
	3000K				
	3500K				
	4000K				

Example: **WS-W33534-40-BK**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A thick hammered glass shade sends a textured glow from this modern wall lantern. An open cage frame and clean geometric accents provides added style.

FEATURES

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- Light engine is factory sealed for maximum protection from the elements
- Weather resistant powder coated finish
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp:	2700K,3000K,3500K,4000K
Input:	120,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , TRIAC: 100-10%
Rated Life:	54,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Wet Location Listed
Construction	Aluminum hardware

REPLACEMENT PARTS

RPL-GLA-33534 - REPLACEMENT GLASS FOR WS-33534




FINISHES:



Black

LINE DRAWING



WS-W33534