

WAC LIGHTING

Volo

Pendant 3000K

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-22744 44"	3000K	AL Brushed Aluminum BK Brushed Black	23W	1988	1491

Example: **PD-22744-BK**

For custom requests please contact customs@waclighting.com

DESCRIPTION

Wishful lighting. Ultra thin pendant for the discerning minimalist.

FEATURES

- Ultra thin pendant for the discerning minimalist
- Frosted diffuser provides even illumination
- Cable suspension carrying low voltage may be field shortened
- TRIAC dimming not available for PD-22775
- Driver concealed within the canopy
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V, 50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-5% , TRIAC: 100-10%
Rated Life:	54,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Aluminum hardware with polycarbonate diffuser



FINISHES:




Brushed Aluminum



Brushed Black

LINE DRAWING



WAC LIGHTING

Volo

Pendant 3000K

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-22754 54"	3000K	AL Brushed Aluminum BK Brushed Black	30W	3387	2540

Example: **PD-22754-BK**

For custom requests please contact customs@waclighting.com

DESCRIPTION

Wishful lighting. Ultra thin pendant for the discerning minimalist.

FEATURES

- Ultra thin pendant for the discerning minimalist
- Frosted diffuser provides even illumination
- Cable suspension carrying low voltage may be field shortened
- TRIAC dimming not available for PD-22775
- Driver concealed within the canopy
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V, 50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-5% , TRIAC: 100-10%
Rated Life:	54,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Aluminum hardware with polycarbonate diffuser



FINISHES:




Brushed Aluminum



Brushed Black

LINE DRAWING



WAC LIGHTING

Volo

Pendant 3000K

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-22775 75"	3000K	AL Brushed Aluminum BK Brushed Black	44W	4087	3045

Example: **PD-22775-BK**

For custom requests please contact customs@waclighting.com

DESCRIPTION

Wishful lighting. Ultra thin pendant for the discerning minimalist.

FEATURES

- Ultra thin pendant for the discerning minimalist
- Frosted diffuser provides even illumination
- Cable suspension carrying low voltage may be field shortened
- TRIAC dimming not available for PD-22775
- Driver concealed within the canopy
- 5 Year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V, 50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-5% , TRIAC: 100-10%
Rated Life:	54,000 Hours
Standards:	ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed
Construction	Aluminum hardware with polycarbonate diffuser

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____



FINISHES:



Brushed Aluminum



Brushed Black

LINE DRAWING

