

WAC LIGHTING

Oberon

Outdoor Wall Sconce 3000K

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W45714 14"	3000K	BK Black	20W	1865	685

Example: **WS-W45714-BK**

•For 277V special order, add an "F" before the finish: WS-W45714F-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

A timeless contemporary guardian.

FEATURES

- Bent opal glass provides even illumination
- Weather resistant powder coated finish
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	54,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Wet Location Listed
Construction	Aluminum hardware with glass diffuser

REPLACEMENT PARTS

RPL-GLA-45714 - Glass for WS-W45714

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____




FINISHES:



Black

LINE DRAWING



WS-W45714

WAC LIGHTING

Oberon

Outdoor Wall Sconce 3000K

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W45720 20"	3000K	BK Black	20W	1900	745

Example: **WS-W45720-BK**

•For 277V special order, add an "F" before the finish: WS-W45720F-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

A timeless contemporary guardian.

FEATURES

- Bent opal glass provides even illumination
- Weather resistant powder coated finish
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	54,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Wet Location Listed
Construction	Aluminum hardware with glass diffuser

REPLACEMENT PARTS

RPL-GLA-45720 - Glass for WS-W45720

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____




FINISHES:



Black

LINE DRAWING



WS-W45720

WAC LIGHTING

Oberon

Outdoor Wall Sconce 3000K

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W45726 26"	3000K	BK Black	35W	3273	1026

Example: **WS-W45726-BK**

•For 277V special order, add an "F" before the finish: WS-W45726F-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

A timeless contemporary guardian.

FEATURES

- Bent opal glass provides even illumination
- Weather resistant powder coated finish
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	54,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Wet Location Listed
Construction	Aluminum hardware with glass diffuser

REPLACEMENT PARTS

RPL-GLA-45726 - Glass for WS-W45726




FINISHES:



Black

LINE DRAWING



WS-W45726